

Influenza-like Illness Activity



Influenza-like Illness (ILI) Activity Levels by Health District - Utah

| iza-like lililess (ILI) ACTIVI | ty Levels by nearth District |
|--------------------------------|------------------------------|
| Health District | ILI Activity |
| Bear River | Minimal |
| Central | Minimal |
| Davis | Minimal |
| Salt Lake | Minimal |
| Southwest | Minimal |
| Summit | Minimal |
| Tooele | Minimal |
| TriCounty | No Data |
| Utah | Minimal |
| Wasatch | Minimal |
| Weber-Morgan | Minimal |
| State | Minimal |

Severity Measures



^{*}Event date is calculated based on a hierarchy of dates: 1. onset date 2. specimen collection date 3. date reported to public health.

Summary Data for Influenza-associated Hospitalizations, 2011-2012 Season to Date

| Variable | | Number of | % of IAH | % in Utah | p value* |
|----------|----------------------------------|-----------|----------|-----------|----------|
| | | cases | cases | рор | p value |
| | Male | 4 | 80.0% | 50.3% | 0.1841 |
| Sex | Female | 1 | 20.0% | 49.7% | 0.1841 |
| | Unknown | 0 | 0.0% | NA | |
| | White, Not Hispanic | 5 | 100.0% | 82.0% | 0.2954 |
| | Hispanic | 0 | 0.0% | 11.6% | 0.4182 |
| | Native Hawaiian/Pacific Islander | 0 | 0.0% | 0.7% | 0.8535 |
| | Black/African American | 0 | 0.0% | 0.9% | 0.8282 |
| | American Indian | 0 | 0.0% | 1.1% | 0.8109 |
| | Asian | 0 | 0.0% | 1.9% | 0.7576 |
| | Unknown | 0 | 0.0% | NA | |

^{*}If a p value is \le 0.05, there is a significant difference between the percentage seen in IAH and the general Utah population.

Severity Measures, cont.

Cases of Influenza-associated Hospitalizations by Age Group, Utah, 2011-2012

| Age Group | Total Cases Season to Date | Percent of Cases | Cases/ 100,000 Population | New Cases in Past Week |
|-------------|----------------------------------|------------------|---------------------------------|------------------------------|
| 0-4 years | 0 | 0.0% | 0.0 | 0 |
| 5-24 years | 0 | 0.0% | 0.0 | 0 |
| 25-49 years | 2 | 40.0% | 0.2 | 0 |
| 50-64 years | 3 | 60.0% | 0.7 | 2 |
| 65+ years | 0 | 0.0% | 0.0 | 0 |
| Total | 5 | 100% | 0.2 | 2 |

Influenza-associated Hospitalizations by Health District, 2011-2012 Season to Date

| Health District | Total Hospitalizations |
|-----------------|------------------------|
| Bear River | 0 |
| Central | 0 |
| Davis | 0 |
| Salt Lake | 4 |
| Southeastern | 0 |
| Southwest | 0 |
| Summit | 0 |
| Tooele | 0 |
| TriCounty | 0 |
| Utah | 1 |
| Wasatch | 0 |
| Weber-Morgan | 0 |

Summary Data for Influenza-associated Hospitalizations, 2011-2012 Season to Date

| • | Yes | | No | | Unknown | |
|------------------------------|--------------------|------------|--------------------|------------|--------------------|------------|
| Variable | Number of Cases | % of cases | Number of Cases | % of cases | Number of Cases | % of cases |
| ICU | 1 | 20.0% | 3 | 60.0% | 1 | 20.0% |
| Ventilator | 1 | 20.0% | 2 | 40.0% | 2 | 40.0% |
| Died | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Neurological Symptoms | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Healthcare Worker | 1 | 20.0% | 1 | 20.0% | 3 | 60.0% |
| Pregnant | 0 | 0.0% | 5 | 100.0% | 0 | 0.0% |
| Heart Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Blood Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Kidney Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Metabolic Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Chronic Respiratory Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Immunosuppressed | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Neurological Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Seizure Disorder | 0 | 0.0% | 2 | 40.0% | 3 | 60.0% |
| Bacterial Co-infection | 1 | 20.0% | 1 | 20.0% | 3 | 60.0% |
| Obese** | 1 | 20.0% | 0 | 0.0% | 4 | 80.0% |
| Morbidly Obese** | 0 | 0.0% | 1 | 20.0% | 4 | 80.0% |
| Risk Factor*** | 2 | 40.0% | 3 | 60.0% | 0 | 0.0% |
| Vaccinated | 1 | 20.0% | 1 | 20.0% | 3 | 60.0% |

^{**}Obesity and morbid obesity is not considered for individuals under 18 years or pregnant women. Thus total counts will not equal the total number of influenza-associated hospitalizations

Case Counts of Influenza-associated Hospitalizations, Utah, 2011-2012


| Case Status | Current Week | Current Week % of Cases | Season Total | Season % of Cases |
|-------------|-----------------|----------------------------|-----------------|-------------------|
| Confirmed* | 2 | 100.0% | 4 | 80.0% |
| Probable** | 0 | 0.0% | 1 | 20.0% |
| Total | 2 | 100.0% | 5 | 100.0% |

 $[\]hbox{*Confirmed= hospitalized with serology, DFA, PCR, or culture positive influenza test}\\$


^{***}Risk factors for influenza include: persons < 5 years, persons ≥ 65 years, pregnant women, and persons with a chronic medical condition.

^{**}Probable= hospitalized with a positive rapid test

Pneumonia and Influenza Deaths



School Absenteeism



Weekly Student Absenteeism - Utah, 2011-2012

| Health District | All absences per 100 students/day | | |
|-----------------|-----------------------------------|--|--|
| Bear River | 2.9 | | |
| Central | 4.5 | | |
| Davis | 3.5 | | |
| Salt Lake | 3.9 | | |
| Southeast | 5.2 | | |
| Southwest | 5.2 | | |
| Summit | 4.4 | | |
| Tooele | 5.8 | | |
| TriCounty | 4.4 | | |
| Utah | 2.4 | | |
| Wasatch | 4.2 | | |
| Weber-Morgan | 5.1 | | |
| State | 4.1 | | |

Virologic Data

Unified State Laboratory: Public Health Virologic Data

| | Season to-date | | Current MI | MWR week | | | |
|-----------------------------|------------------------------------|---------|------------|----------|--|--|--|
| | Number | Percent | Number | Percent | | | |
| Specimens tested | 119 | | 15 | | | | |
| Positive specimens | 8 | 6.7% | 2 | 13.3% | | | |
| Positive Spe | Positive Specimens by Type/Subtype | | | | | | |
| Influenza A | 7 | 87.5% | 1 | 50.0% | | | |
| A (2009 H1N1) | 0 | 0.0% | 0 | 0.0% | | | |
| A (H1) | 0 | 0.0% | 0 | 0.0% | | | |
| A (H3) | 7 | 100.0% | 1 | 100.0% | | | |
| A (subtyping not performed) | 0 | 0.0% | 0 | 0.0% | | | |
| A (unable to subtype) | 0 | 0.0% | 0 | 0.0% | | | |
| Influenza B | 1 | 12.5% | 1 | 50.0% | | | |

